



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K605MD Florida Building Code & Miami-Dade Approved Sightproof Louver

Models:

7.5" W x 5" H to 144" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K605MD Revision 1, September 2012

Listing date:

June 25, 2012



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6744X Florida Building Code Approved Drainable Blade Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6744 Revision 1, September 2012

Listing date:

June 25, 2012



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746MD Miami-Dade Qualified Drainable Blade Louver (0.08" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746MD Revision 1, September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746MD Miami-Dade Qualified Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746MD Revision 1, September 2012

Listing date:

June 25, 2012



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746MDE Miami-Dade Drainable Blade Louver (Channel Frame)

Models:

11.25" W x 11.5" H to 48" W x 48" H

Catalogs:

K6746MDE, January 2016

Listing date:

February 8, 2016



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746MDE Miami-Dade Drainable Blade Louver (Flanged/Sleeved Frame)

Models:

11.5" W x 11.5" H to 48" W x 48" H

Catalogs:

K6746MDE, January 2016

Listing date:

February 8, 2016



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746X Florida Building Code Approved Drainable Blade Louver (0.08" Blade)

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746X Rev. 1, September 2012

Listing date:

June 25, 2012



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K6746X Florida Building Code Approved Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746X Rev. 1, September 2012

Listing date:

June 25, 2012



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model K8206AMD Combination Stationary and Adjustable Blade Louver

Models:

8.75" W x 6" H to 60" W x 120" H

Catalogs:

K8206AMD Rev. 1, July 2016

Listing date:

October 17, 2013



LISTED PRODUCTS

Airolite Company LLC, The



Model SCC901 (Recessed Jamb) Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901, March 2016

Listing date:

June 9, 2016



Model SCC901 Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901, March 2016

Listing date:

June 9, 2016



Model SCH501X Florida Approved Storm Class Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

SCH501X Rev. 1, September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCH601MD Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 5" H to 120" W x 144" H

Catalogs:

SCH601MD, August 2016

Listing date:

June 25, 2012



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCH601MD/VCD-40 Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 10" H to 36" W x 144" H

Catalogs:

SCH601MD, August 2016

Listing date:

June 25, 2012



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCH601MDE Miami-Dade Wind-Driven Rain Performance Louver (Channel Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

SCH601MDE, November 2015

Listing date:

February 4, 2016



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCH601MDE Miami-Dade Wind-Driven Rain Performance Louver (Flanged/Sleeved Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

SCH601MDE, November 2015

Listing date:

February 4, 2016



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCV501MD Miami-Dade Qualified Wind Driven Rain Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

AG62015R0 Revision 1, June 2015

[SCV501MD Revision 1](#), May 2015

Listing date:

July 27, 2015



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model SCV602X Florida Building Code Approved Storm Class Louver

Models:

6" W x 15.75" H to 60" W x 96" H

Catalogs:

A52012R2 Revision 2, May 2012

SCV602X Rev. 1, September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



Model SCV602MD Florida Building Code Miami-Dade Qualified Wind-Driven Rain Louver

Models:

12" W x 16" H to 48" W x 120" H

Catalogs:

G52012R1, May 2012

SCV602MD Rev. 1 April 2015

Listing date:

August 14, 2015



Model SCV660MD Miami-Dade Qualified Wind-Driven Rain Louver

Models:

6" W x 12" H to 48" W x 120" H

Catalogs:

A52012R2 Revision 2, May 2012

SCV660MD Rev. 1, January 2013

Listing date:

June 25, 2012



Model T9106MD Miami-Dade Qualified Acoustical Louver

Models:

4" W x 11.5" H to 60" W x 120" H

Catalogs:

AG62014R0 Revision 0, June 2014

Listing date:

September 24, 2014



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model T9106X Florida Building Code Approved Acoustical Louver

Models:

11.75" W x 10" H to 60" W x 96" H

Catalogs:

A52012R2 Revision 2, May 2012

T9106X Revision 1, September 2012

Listing date:

June 25, 2012



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

SCC901MD (Recessed Jamb) Miami-Dade Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901MD, July 2016

Listing date:

August 17, 2016



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

SCC901MD Miami-Dade Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901MD, July 2016

Listing date:

August 17, 2016



LISTED PRODUCTS

All-Lite



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-MD Extruded Aluminum Louver

Models:

12" W x 5" H to 60" W x 144" H

Catalogs:

ECD545-MD, December 2016

Listing date:

December 20, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645 Wind Driven Rain Louver, Extruded Aluminum

Models:

12" W x 12" H to 48" W x 72" H

Catalogs:

AECV645, October 2015

Listing date:

May 29, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645-MD

Models:

12" W x 12" H to 120" W x 96" H

Catalogs:

AECV645-MD, May 2015

Listing date:

May 29, 2015



LISTED PRODUCTS



IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

ECD-545-FL

Models:

12" W x 5" H to 60" W x 120" H

Catalogs:

AECD545-FL, December 2016

Listing date:

December 20, 2016

Construction Specialties, Inc.



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

BL-6809 Blast Resistant Vertical Storm Resistant Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

BL-6809-03, August 2015

Listing date:

September 16, 2015



HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

DC-6804 Vertical Storm Resistant Dade County Hurricane Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

DC-6804-02, November 2016

Listing date:

September 16, 2015



LISTED PRODUCTS



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model DC-9614 Storm Resistant Fixed Horizontal Louver

Models:

16" W x 16" H to 60" W x 120" H

Catalogs:

DC-9614-03, November 2016

Listing date:

November 19, 2015

Construction Specialties, Inc.



IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

C/S 5" Storm Resistant Dade County Hurricane Louver, Model DCH-5704

Models:

18" W x 18" H to 90" W x 196" H

Catalogs:

DCH-5704-5, May 2016

Listing date:

June 28, 2016



IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

C/S 5" Storm Resistant Dade County Hurricane Louver, Model DCV-5704

Models:

18" W x 18" H to 90" W x 196" H

Catalogs:

DCV-5704-4, May 2016

Listing date:

June 28, 2016



LISTED PRODUCTS



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

RS-6800 Vertical Storm Resistant Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

RS-6800-0, August 2015

Listing date:

September 16, 2015

Construction Specialties, Inc.



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model RS-9615 Storm Resistant Fixed Horizontal Louver

Models:

16" W x 16" H to 60" W x 120" H

Catalogs:

RS-9615-07, October 2016

Listing date:

September 10, 2015



LISTED PRODUCTS

Greenheck Fan Corporation



AFJ-601D Miami-Dade Qualified Acoustical Louver

Models:

4" W x 11.5" H to 60" W x 120" H

Catalogs:

G62014R0 Revision 0, June 2014

Listing date:

September 24, 2014



AFJ-601X Florida Approved Acoustical Louver

Models:

11.75" W x 10" H to 60" W x 96" H

Catalogs:

G52012R2 Revision 2, May 2012
AFJ-601X Rev. 1, September 2012

Listing date:

June 25, 2012



EACA-601D Miami-Dade Qualified Combination Louver Damper

Models:

8.75" W x 6" H to 60" W x 120" H

Catalogs:

EACA-601D Rev. 1, April 2016

Listing date:

October 17, 2013



LISTED PRODUCTS

Greenheck Fan Corporation



EHH-501X Florida Approved Wind Driven Rain Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

EHH-501X Rev. 1, September 2012

Listing date:

June 25, 2012



EHH-601D Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 5" H to 120" W x 144" H

Catalogs:

EHH-601D, August 2016

Listing date:

June 25, 2012



EHH-601D/VCD-40 Miami-Dade Wind-Driven Rain Performance Louver

Models:

11.25" W x 10" H to 36" W x 144" H

Catalogs:

EHH-601D, August 2016

Listing date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



EHH-601DE Miami-Dade Wind-Driven Rain Performance Louver (Channel Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

EHH-601DE Rev. 1, November 2015

Listing date:

February 4, 2016



EHH-601DE Miami-Dade Wind-Driven Rain Performance Louver (Flanged/Sleeved Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

EHH-601DE Rev. 1, November 2015

Listing date:

February 4, 2016



EHV-901 Wind-Driven Rain and Impact Resistant Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

EHV-901, March 2016

Listing date:

May 25, 2016



LISTED PRODUCTS

Greenheck Fan Corporation



EHV-901D Miami-Dade Wind-Driven Rain and Impact Resistant Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

EHV-901D, July 2016

Listing date:

August 17, 2016



ESD-435X Florida Approved High Performance Drainable Blade Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESD-435X Rev. 1, September 2012

Listing date:

June 25, 2012



ESD-635D Miami-Dade Qualified Drainable Blade Louver (0.08" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 22, May 2012

ESD-635D Rev. 1 September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



ESD-635D Miami-Dade Qualified Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012
ESD-635D Rev. 1, September 2012

Listing date:

June 25, 2012



ESD-635DE Miami-Dade Drainable Blade Louver (Channel Frame)

Models:

11.25" W x 11.5" H to 48" W x 48" H

Catalogs:

ESD-635DE Rev. 1, January 2016

Listing date:

February 2, 2016



ESD-635DE Miami-Dade Drainable Blade Louver (Flanged/Sleeved Frame)

Models:

11.5" W x 11.5" H to 48" W x 48" H

Catalogs:

ESD-635DE Rev. 1, January 2016

Listing date:

February 2, 2016



LISTED PRODUCTS

Greenheck Fan Corp.



ESD-635X Florida Approved High Performance Drainable Blade Louver (0.08" Blade)

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESD-635X Rev. 1, September 2012

Listing date:

June 25, 2012



ESD-635X Florida Approved High Performance Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESD-635X Rev. 1, September 2012

Listing date:

June 25, 2012



ESS-502D Miami-Dade Qualified High Performance Sightproof Stationary Louver

Models:

7.5" W x 5" H to 144" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESS-502D Rev. 1, September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection
See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-501D Miami-Dade Qualified Wind-Driven Rain Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

G62015R0 Revision 0, June 2015

EVH-501D Rev. 1, June 2015

Listing date:

July 27, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection
See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-602D Florida Approved Wind-Driven Rain Louver

Models:

4" W x 15.75" H to 48" W x 96" H

Catalogs:

G42015R0 Revision 0, April 2015

EVH-602X Rev. 1, April 2015

Listing date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection
See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-602X Florida Approved Wind-Driven Rain Louver

Models:

4" W x 15.75" H to 60" W x 96" H

Catalogs:

G42015R0 Revision 0, April 2015

EVH-602X Rev. 1, September 2012

Listing date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corp.



EVH-660D Miami-Dade Qualified Wind-Driven Rain Louver

Models:

6" W x 12" H to 48" W x 120" H

Catalogs:

G52012R2 Revision 2, May 2012

EVH-660D, January 2013

Listing date:

June 25, 2012



LISTED PRODUCTS

Pottorff



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-MD Extruded Aluminum Louver

Models:

12" W x 5" H to 60" W x 144" H

Catalogs:

ECD545-MD, December 2016

Listing date:

December 20, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645 Wind Driven Rain Louver, Vertical Blade

Models:

12" W x 12" H to 120" W x 96" H

Catalogs:

ECV645, October 2015

Listing date:

May 29, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645-MD

Models:

12" W x 12" H to 120" W x 96" H

Catalogs:

ECV645-MD, May 2015

Listing date:

May 29, 2015



LISTED PRODUCTS



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

ECD-545-FL

Models:

12" W x 5" H to 60" W x 120" H

Catalogs:

ECD545-FL, December 2016

Listing date:

December 20, 2016



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

EXA-645-MD

Models:

11.5" W x 11.5" H to 60" W x 120" H

Catalogs:

EXA545-MD, December 2016

Listing date:

December 14, 2016

Ruskin Company



IMPACT RESISTANT LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

EME520DD Wind Driven Rain Resistant Stationary Louver

Models:

12" W x 12" H to 96" W x 96" H

Catalogs:

EME520DD-316, March 2016

Listing date:

April 6, 2016



HIGH VELOCITY RAIN RESISTANT LOUVER

See www.AMCA.org for all certified or listed products

This label does not signify AMCA airflow performance certification.

Model EME3625 Wind Driven Rain Resistant Stationary Louver Extruded Aluminum

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME3625-616, June 2016

Listing date:

June 9, 2016



LISTED PRODUCTS



Ruskin Company



Model EME6325D Wind Driven Rain Resistant Louver

Models:

12" W x 12" H to 48" W x 120" H

Catalogs:

EME6325D-316, March 2016

Listing date:

June 24, 2015

EME6625D

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME6625D-616, June 2016

Listing date:

June 17, 2016



LISTED PRODUCTS



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

HZ850

Models:

12" W x 16" H to 144" W x 96" H

Catalogs:

HZ850-815, August 2015

Listing date:

July 15, 2015