



LISTED PRODUCTS

Air Balance

	IMPACT RESISTANT LOUVER <i>Basic Protection</i>	<small>This label does not signify AMCA airflow performance certification.</small>
<small>See www.AMCA.org for all certified or listed products</small>		

Model A320 Miami-Dade HVHZ Louver

Models:

12" W x 12" H to 96" W x 96" H

Catalogs:

SD-A320-17.08 August 2017

Listing Date:

August 29, 2017

	IMPACT RESISTANT LOUVER <i>Basic Protection</i>	<small>This label does not signify AMCA airflow performance certification.</small>
<small>See www.AMCA.org for all certified or listed products</small>		

Model A520 Miami-Dade HVHZ Louver

Models:

12" W x 12" H to 60" W x 96" H

Catalogs:

SD-A520-17.08 August 2017

Listing Date:

August 29, 2017



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Enhanced Protection

This label does not signify
AMCA airflow performance
certification.

See www.AMCA.org for all certified or listed products

Model K605MD Florida Building Code & Miami-Dade Approved Sightproof Louver

Models:

7.5" W x 5" H to 144" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K605 MD Revision 2, April 2017

Listing Date:

April 27, 2017



IMPACT RESISTANT
LOUVER
Basic Protection

This label does not signify
AMCA airflow performance
certification.

See www.AMCA.org for all certified or listed products

Model K6744X Florida Building Code Approved Drainable Blade Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6744 Revision 2, April 2017

Listing Date:

April 25, 2017



IMPACT RESISTANT
LOUVER
Basic Protection

This label does not signify
AMCA airflow performance
certification.

See www.AMCA.org for all certified or listed products

Model K6746MD Miami- Dade Qualified Drainable Blade Louver (0.08" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746MD Revision 1, September 2012

Listing Date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K6746MD Miami-Dade Qualified Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746MD Revision 1, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K6746MDE Miami-Dade Drainable Blade Louver (Channel Frame)

Models:

11.25" W x 11.5" H to 48" W x 48" H

Catalogs:

K6746MDE, January 2016

Listing Date:

February 8, 2016



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K6746MDE Miami-Dade Drainable Blade Louver (Flanged/Sleeved Frame)

Models:

11.5" W x 11.5" H to 48" W x 48" H

Catalogs:

K6746MDE, January 2016

Listing Date:

February 8, 2016



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K6746X Florida Building Code Approved Drainable Blade Louver (0.08" Blade)

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746X Revision 2, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K6746X Florida Building Code Approved Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

K6746X Revision 1, September 2012

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model K8206AMD Combination Stationary and Adjustable Blade Louver

Models:

12" W x 16" H to 60" W x 120" H

Catalogs:

K8206AMD, March 2017

Listing Date:

October 17, 2013



LISTED PRODUCTS

Airolite Company LLC, The



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCC901 (Recessed Jamb) Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901, March 2016

Listing Date:

June 9, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCC901 Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901, March 2016

Listing Date:

June 9, 2016



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCH501X Florida Approved Storm Class Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

A52012R2 Revision 2, May 2012

SCH501X Revision 1, September 2012

Listing Date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCH601MD Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 5" H to 120" W x 144" H

Catalogs:

SCH601MD, August 2016

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCH601MD/VCD Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 10" H to 36" W x 144" H

Catalogs:

SCH601MD, August 2016

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCH601MDE Miami-Dade Wind-Driven Rain Performance Louver (Channel Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

SCH601MDE, November 2015

Listing Date:

February 4, 2016



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCH601MDE Miami-Dade Wind-Driven Rain Performance Louver (Flanged/Sleeved Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

SCH601MDE, November 2015

Listing Date:

February 4, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCV501MD Miami-Dade Qualified Wind-Driven Rain Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

AG6201R0 Revision 1, June 2015

SCV501MD Revision 1, May 2015

Listing Date:

July 27, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCV602X Florida Building Code Approved Storm Class Louver

Models:

6" W x 15.75" H to 60" W x 96" H

Catalogs:

A52012R2 Revision 2, May 2012

SCV602X Revision 1, September 2012

Listing Date:

June 25, 2012



LISTED PRODUCTS

Airolite Company LLC, The



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCV602MD Florida Building Code Miami-Dade Qualified Wind-Driven Rain Louver

Models:

12" W x 16" H to 48" W x 120" H

Catalogs:

G5201R1, May 2012

SCV602MD Rev. 1, April 2015

Listing Date:

August 14, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model SCV660MD Miami-Dade Qualified Wind-Drive Rain Louver

Models:

6" W x 12" H to 48" W x 120" H

Catalogs:

A52012R2 Revision 2, May 2012

SCV660MD Rev. 1, January 2013

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model T9106MD Miami-Dade Qualified Acoustical Louver

Models:

4" W x 11.5" H to 60" W x 120" H

Catalogs:

AG2014R0 Revision 0, June 2014

Listing Date:

September 24, 2014



LISTED PRODUCTS

Airolite Company LLC, The



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model T9106X Florida Building Code Approved Acoustical Louver

Models:

11.75" W x 10" H to 60" W x 96" H

Catalogs:

A52012R2 Revision 2, May 2012
T9106X Revision 1, September 2012

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

SCC901MD (Recessed Jamb) Miami-Dade Wind-Drive Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901MD, July 2016

Listing Date:

August 17, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

SCC901MD Miami-Dade Wind-Driven Rain and Impact Resistance Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

SCC901MD, July 2016

Listing Date:

August 17, 2016



LISTED PRODUCTS

Airolite Company LLC, The



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

SCV302 Wind-Driven Rain High Performance Extruded Aluminum Louver

Models:

6" W x 8" H to 60" W x 96" H

Catalogs:

SCV 302, November 2018

Listing Date:

January 2, 2019



LISTED PRODUCTS

All-Lite



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-MD Extruded Aluminum Louver

Models:

12" W x 5" H to 60" W x 144" H

Catalogs:

ECD545-MD, July 2017

Listing Date:

July 17, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645 Wind Driven Rain Louver, Extruded Aluminum

Models:

12" W x 12" H to 48" W x 72" H

Catalogs:

AECV645, October 2015

Listing Date:

May 29, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645-MD

Models:

13 1/2" W x 12" H to 60" W x 120" H

Catalogs:

AECV645-MD, February 2017

Listing Date:

April 19, 2017



LISTED PRODUCTS

All-Lite

	<p>HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER <i>Enhanced Protection</i></p> <p><small>See www.AMCA.org for all certified or listed products</small></p>	<p><small>This label does not signify AMCA airflow performance certification.</small></p>
---	--	---

EFJ-937

Models:

12" W x 12" H to 60" W x 120" H

Catalogs:

AEFJ-937, December 2017

Listing Date:

December 12, 2017

	<p>HIGH VELOCITY RAIN RESISTANT AND IMPACT RESISTANT LOUVER <i>Enhanced Protection</i></p> <p><small>See www.AMCA.org for all certified or listed products</small></p>	<p><small>This label does not signify AMCA airflow performance certification.</small></p>
--	--	---

AEFJ-937-MD

Models:

12" W x 12" H to 60" W x 120" H

Catalogs:

AEFJ-937-MD, June 2018

Listing Date:

July 6, 2018



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-FL

Models:

12" W x 5" H to 60" W x 120" H

Catalogs:

AECD545-FL, December 2016

Listing Date:

December 20, 2016

American Warming and Ventilating



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**Model LE-36 Wind-Driven Rain
Louver**

Models:

12" W x 12" H to 96" W x 96" H

Catalogs:

AWV LE-36, September 2018

Listing Date:

October 17, 2018

Arrow United



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**Model EA-52 Miami-Dade HVHZ
Louver**

Models:

12" W x 12" H to 60" W x 96" H

Catalogs:

SD-EA52-17.08 August 2017

Listing Date:

August 29, 2017



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**Model EA-64 Miami-Dade HVHZ
Louver**

Models:

12" W x 12" H to 96" W x 96" H

Catalogs:

SD-EA64-17.08 August 2017

Listing Date:

August 29, 2017



LISTED PRODUCTS

Arrow United



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**Model EAV-66Miami-Dade HVHZ
Louver**

Models:

18" W x 18" H to 96" W x 96" H

Catalogs:

SD-EAV66-17.08 August 2017

Listing Date:

August 29, 2017

Construction Specialties, INC.



**HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER**
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

BL-6809 Blast Resistant Vertical Storm Resistant Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

BL-6809-03, August 2015

Listing Date:

September 16, 2015



**HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER**
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

DC-6804 Vertical Storm Resistant Dade County Hurricane Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

DC-6804-02, November 2016

Listing Date:

September 16, 2015



LISTED PRODUCTS

Construction Specialties, INC.



**HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER**
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model DC-9614 Storm Resistant Fixed Horizontal Louver

Models:

16" W x 16" H to 60" W x 120" H

Catalogs:

DC-9614-06, March 2018

Listing Date:

March 13, 2018



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**C/S 5" Storm Resistant Dade County
Hurricane Louver, Model DCH-5704**

Models:

8" W x 18" H to 60" W x 120" H

Catalogs:

DCH-5704-9, March 2018

Listing Date:

March 29, 2018



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

**C/S 5" Storm Resistant Dade County
Hurricane Louver, Model DCV-5704**

Models:

18" W x 8" H to 60" W x 120" H

Catalogs:

DCV-5704-7, May 2018

Listing Date:

June 6, 2018



LISTED PRODUCTS

Construction Specialties, INC.



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

RS-6800 Vertical Storm Resistant Louver

Models:

16" W x 16" H to 72" W x 120" H

Catalogs:

RS-6800-0, August 2015

Listing Date:

September 16, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model RS-9615 Storm Resistant Fixed Horizontal Louver

Models:

16" W x 16" H to 60" W x 120" H

Catalogs:

RS-9615-08, March 2018

Listing Date:

March 13, 2018



LISTED PRODUCTS

Greenheck Fan Corporation



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

AFJ-601D Miami-Dade Qualified Acoustical Louver

Models:

4" W x 11.5" H to 60" W x 120" H

Catalogs:

G62014R0 Revision 0, June 2014

Listing Date:

September 24, 2014



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

AFJ-601X Florida Approved Acoustical Louver

Models:

11.75" W x 10" H to 60" W x 96" H

Catalogs:

G52012R2 Revision 2, May 2012
AFJ-601C Rev. 1, September 2012

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EACA-601D Miami-Dade Qualified Combination Louver Damper

Models:

12" W x 16" H to 60" W x 120" H

Catalogs:

EACA-601D, November 2017

Listing Date:

October 17, 2013



LISTED PRODUCTS

Greenheck Fan Corporation



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHH-501X Florida Approved Wind Driven Rain Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012
EHH-501X Rev. 1, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHH-601D Miami-Dade Wind Driven Rain Performance Louver

Models:

11.25" W x 5" H to 120" W x 144" H

Catalogs:

EHH-601D, August 2016

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHH-601D/VCD-40 Miami-Dade Wind-Driven Rain Performance Louver

Models:

11.25" W x 10" H to 36" W x 144" H

Catalogs:

EHH-601D, August 2016

Listing Date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHH-601DE Miami-Dade Wind Driven-Rain Performance Louver (Channel Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

EHH-601DE Rev. 1, November 2015

Listing Date:

February 4, 2016



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHH-601DE Miami-Dade Wind-Driven Rain Performance Louver (Flanged/Sleeved Frame)

Models:

11.25" W x 6.25" H to 48" W x 48" H

Catalogs:

EHH-601DE Rev. 1, November 2015

Listing Date:

February 4, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHV-901 Wind-Driven Rain and Impact Resistant Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

EHV-901, March 2016

Listing Date:

May 25, 2016



LISTED PRODUCTS

Greenheck Fan Corporation



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EHV-901D Miami-Dade Wind-Driven Rain and Impact Resistant Louver

Models:

11.25" W x 11.25" H to 60" W x 120" H

Catalogs:

EHV-901D, July 2016

Listing Date:

August 17, 2016



IMPACT RESISTANT
LOUVER

Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-435X Florida Approved High Performance Drainable Blade Louver

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESD-435X Rev. 2, April 2017

Listing Date:

April 25, 2017



IMPACT RESISTANT
LOUVER

Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635D Miami-Dade Qualified Drainable Blade Louver (0.08" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 22, May 2012

ESD-635D Rev. 1 September 2012

Listing Date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635D Miami-Dade Qualified Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012

ESD-635D Rev. 1, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635DE Miami-Dade Drainable Blade Louver (Channel Frame)

Models:

11.25" W x 11.5" H to 48" W x 48" H

Catalogs:

ESD-635DE Rev. 1, January 2016

Listing Date:

February 2, 2016



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635DE Miami-Dade Drainable Blade Louver (Flanged/Sleeved Frame)

Models:

11.5" W x 11.5" H to 48" W x 48" H

Catalogs:

ESD-635DE Rev. 1, January 2016

Listing Date:

February 2, 2016



LISTED PRODUCTS

Greenheck Fan Corporation



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635X Florida Approved High Performance Drainable Blade Louver (0.08" Blade)

Models:

11.75" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012
ESD-635X Rev. 1, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESD-635X Florida Approved High Performance Drainable Blade Louver (1/8" Blade)

Models:

11.25" W x 6" H to 120" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012
ESD-635X Rev. 1, September 2012

Listing Date:

June 25, 2012



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ESS-502D Miami-Dade Qualified High Performance Sightproof Stationary Louver

Models:

7.5" W x 5" H to 144" W x 144" H

Catalogs:

G52012R2 Revision 2, May 2012
ESS-502D Rev. 2, April 2017

Listing Date:

April 27, 2017



LISTED PRODUCTS

Greenheck Fan Corporation



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-501D Miami-Dade Qualified Wind-Driven Rain Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

G62015R0 Revision 0, June 2015
EVH-501D Rev. 1, June 2015

Listing Date:

July 27, 2015



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-602D Florida Approved Wind-Driven Rain Louver

Models:

4" W x 15.75" H to 48" W x 96" H

Catalogs:

G42015R0 Revision 0, April 2015
EVH-602X Rev. 1, April 2015

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-602X Florida Approved Wind-Driven Rain Louver

Models:

4" W x 15.75" H to 60" W x 96" H

Catalogs:

G42015R0 Revision 0, April 2015
EVH-602X Rev. 1, September 2012

Listing Date:

June 25, 2012



LISTED PRODUCTS

Greenheck Fan Corporation



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH-660D Miami-Dade Qualified Wind-Driven Rain Louver

Models:

6" W x 12" H to 48" W x 120" H

Catalogs:

G52012R2 Revision 2, May 2012

EVH-660D, January 2013

Listing Date:

June 25, 2012



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER

Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EVH- 302 Wind-Driven Rain High Performance Extruded Aluminum Louver

Models:

6" W x 8" H to 60" W x 96" H

Catalogs:

EVH-302, November 2018

Listing Date:

January 2, 2019



LISTED PRODUCTS

Nailor Industries, Inc.



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1604DHPF 4" Extruded Aluminum Stationary Drainable High Performance Florida Approved Louver

Models:

12" W x 12" H to 108" W x 120" H

Catalogs:

1604DHPF January, 2018

Listing Date:

April 16, 2018



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1606DHPF 6" Extruded Aluminum Stationary Drainable High Performance Florida Approved Louver

Models:

12" W x 12" H to 84" W x 120" H

Catalogs:

1606DHPF January, 2018

Listing Date:

April 16, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1605WDFV 5" Extruded Aluminum Stationary Florida Approved Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

1605WDFV January, 2018

Listing Date:

April 13, 2018



LISTED PRODUCTS

Nailor Industries, Inc.



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1606DHPM 6" Extruded Aluminum Stationary Miami-Dade Qualified Florida Approved Louver

Models:

12" W x 12" H to 72" W x 120" H

Catalogs:

1606DHPM January, 2018

Listing Date:

April 16, 2018



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1675WDVM 5" Extruded Aluminum Stationary Miami-Dade Qualified -Florida Approved Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

1675WDVM January, 2018

Listing Date:

April 16, 2018



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1605WDF 5" Extruded Aluminum Stationary Florida Approved Louver

Models:

12" W x 12" H to 108" W x 120" H

Catalogs:

1605WDF January, 2018

Listing Date:

April 16, 2018



LISTED PRODUCTS

Nailor Industries, Inc.



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1605WDVM 5" Extruded Aluminum Stationary Miami-Dade Qualified -Florida Approved Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

1605WDVM January, 2018

Listing Date:

April 16, 2018



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1605WDM 5" Extruded Aluminum Stationary Miami-Dade Qualified -Florida Approved Louver

Models:

12" W x 12" H to 72" W x 120" H

Catalogs:

1605WDM January, 2018

Listing Date:

April 16, 2018



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

1606WDF 6" Extruded Aluminum Stationary Florida Approved Louver

Models:

12" W x 12" H to 108" W x 120" H

Catalogs:

1606WDF January, 2018

Listing Date:

April 16, 2018



LISTED PRODUCTS

Pottorff



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EAJ-1235-MD

Models:

12" W x 20" H to 60" W x 120" H

Catalogs:

EAJ1235MD, December 2016

Listing Date:

January 26, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-MD Extruded Aluminum Louver

Models:

12" W x 5" H to 60" W x 144" H

Catalogs:

ECD545-MD, July 2017

Listing Date:

July 17, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645 Wind Driven Rain Louver, Vertical Blade

Models:

12" W x 12" H to 120" W x 96" H

Catalogs:

ECV645, October 2015

Listing Date:

May 29, 2015



LISTED PRODUCTS

Pottorff



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECV-645-MD

Models:

13 1/2" W x 12" H to 60" W x 120" H

Catalogs:

ECV645-MD, February 2017

Listing Date:

April 19, 2017



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

ECD-545-FL

Models:

12" W x 5" H to 60" W x 120" H

Catalogs:

ECD545-FL, December 2016

Listing Date:

December 20, 2016



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EXA-645-MD

Models:

11.5" W x 11.5" H to 60" W x 120" H

Catalogs:

EXA545-MD, December 2016

Listing Date:

December 14, 2016



LISTED PRODUCTS

Pottorff



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EFJ-937

Models:

12" W x 12" H to 60" W x 120" H

Catalogs:

EFJ-937, December 2017

Listing Date:

December 12, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EFJ-937-MD

Models:

12" W x 12" H to 60" W x 120" H

Catalogs:

EFJ-937-MD, June 2018

Listing Date:

July 6, 2018



Reliable Products

LISTED PRODUCTS



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

5DDWRDC WIND-DRIVEN RAIN RESISTANT STATIONARY LOUVER

Models:

12" W x 12" H to 144" W x 144" H

Catalogs:

5DDWRDC, November 2016

Listing Date:

July 12, 2017



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

5DDWRG WIND-DRIVEN RAIN RESISTANT STATIONARY LOUVER

Models:

12" W x 12" H to 120" W x 90" H

Catalogs:

5DDWRG, September 2016

Listing Date:

July 10, 2018



HIGH VELOCITY
RAIN RESISTANT
LOUVER

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

3RRGV WIND-DRIVEN RAIN RESISTANT STATIONARY LOUVER

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

3RRGV-918, September 2018

Listing Date:

October 10, 2018



LISTED PRODUCTS

Ruskin Company



ACL1245AFD Stationary Acoustical Louver

Models:

12" W x 24" H to 60" W x 120" H

Catalogs:

ACL1245AFD-417, April 2017

Listing Date:

April 26, 2017



ACL1245D Stationary Acoustical Louver

Models:

12" W x 18" H to 60" W x 120" H

Catalogs:

ACL1245D-318, March 2018

Listing Date:

March 15, 2018



ELF6375DXD Drainable Stationary Louver

Models:

12" W x 12" H to 88" W x 120" H

Catalogs:

ELF6375DXD-817, August 2017

Listing Date:

August 25, 2017



LISTED PRODUCTS

Ruskin Company



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME420DDE Wind Driven Rain resistant Stationary Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

EME420DDE-518, May 2018

Listing Date:

October 31, 2018



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME520DD Wind Driven Rain Resistant Stationary Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

EME520DD-616, June 2016

Listing Date:

May 18, 2017



LISTED PRODUCTS

Ruskin Company



IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME520DDE Wind Driven Rain resistant Stationary Louver

Models:

12" W x 12" H to 120" W x 120" H

Catalogs:

EME520DD-518, May 2018

Listing Date:

October 31, 2018



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME520MD Wind Driven Rain Resistant Stationary Louver

Models:

12" W x 12" H to 144" W x 144" H

Catalogs:

EME520MD-1116, November 2016

Listing Date:

July 11, 2017



HIGH VELOCITY
RAIN RESISTANT
LOUVER

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model EME3625 Wind Driven Rain Resistant Stationary Louver Extruded Aluminum

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME3625-616, June 2016

Listing Date:

June 9, 2016



LISTED PRODUCTS

Ruskin Company



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model EME3625DFL Wind-Driven Rain Resistant Stationary Louver Extruded Aluminum

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME3625DFL-517, May 2017

Listing Date:

May 10, 2017



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

Model EME6325D Wind Driven Rain Resistant Louver

Models:

12" W x 12" H to 48" W x 120" H

Catalogs:

EME6325D-918, September 2018

Listing Date:

October 10, 2018



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME6625

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME6625-816, August 2016

Listing Date:

May 08, 2017



LISTED PRODUCTS

Ruskin Company



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME6625D

Models:

12" W x 12" H to 48" W x 96" H

Catalogs:

EME6625D-616, June 2016

Listing Date:

June 17, 2016



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Enhanced Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

HZ850

Models:

12" W x 16" H to 144" W x 96" H

Catalogs:

HZ850-615

Listing Date:

July 15, 2015



IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

EME420MD

Models:

12" W x 12" H to 120" W x 144" H

Catalogs:

EME420MD-1116

Listing Date:

February 10, 2017



LISTED PRODUCTS

United Enertech



HIGH VELOCITY
RAIN RESISTANT
AND IMPACT RESISTANT
LOUVER
Basic Protection

See www.AMCA.org for all certified or listed products

This label does not signify
AMCA airflow performance
certification.

D-HV-6

Models:

12" W x 12" H to 72" W x 72" H

Catalogs:

D-HV-6 July 2018

Listing Date:

July 27, 2018